
## TONES PRODUCT DATA SHEET



${\mathscr O}$ Recycled Content	Up to 20%	
Range	Tones	
Category	Colour	
Collection	Select Collection	
Short Code	TN\$3A	
Colour	Latte	
Finish	Satin	
Wall Suitability	Internal Only	
Floor Suitability	-	
Wet Barefoot	-	
Material	Glazed Ceramic	
Classificiation	BIII	
Light Reflectance Value	40.00	
CSV	VI	

Physical Properties			
Test /	Standard	Requirement	Test Result
	Length/Width EN ISO 10545-2	±0.5%≤ ± 2mm	±0.25%
+	<b>Straightness of Sides</b> EN ISO 10545-2	±0.3% ≤ ± 1.5mm	± 0.15%
-	<b>Rectangularity</b> EN ISO 10545-2	±0.5% ≤ ± 2mm	± 0.4%
${\rightarrow} \boxed[ {\wedge} {\leftarrow}$	Surface Flatness EN ISO 10545-2	±0.5% ≤ ± 2mm	±0.2%
$[] \uparrow [] \downarrow$	<b>Warpage</b> EN ISO 10545-2	±0.5%≤ ± 2mm	0.30%
	Water Absorption EN ISO 10545-3	10% to 20%	15% to 17%
	<b>Modulus of Rupture</b> EN ISO 10545-4	Ave 15N/mm²	25N/mm²
*	<b>Frost Resistance</b> Not Applicable	N/A	Not suitable
B	Chemical Resistance EN ISO 10545-13	Min Class B	Class A-B (better)
	<b>Stain Resistance</b> EN ISO 10545-14	Min Class 3	Class 3 (better)
X	Crazing Resistance EN ISO 10545-11	Pass	Pass
	UV Colour Resistance		Unaffected by light
0	Scratch Hardness BS6431:Part13/EN101	≥3	4
	Fire Rating		Class Al Non Combustible
kg	Weight/m <sup>2</sup> Thickness: 10mm		17kg

Available Sizes 400x150x10mm

## Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | Fax: +44 (0) | 782 577 379 Email: techadvice@johnson-tiles.com

## www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 – 24 represents a high slip potential, 25 – 35 signifies a moderate slip potential and 36 represents a low slip potential. All figures are accurate at the time of this data sheets creation (18/05/2024). Johnson Tiles Limited, Harewood Street, Tunstall, Stoke-on-Trent. ST6 5JZ. Registed in England No. 15600432. © 2024 Johnson Tiles. All rights reserved.

